

Roger
Senhouse

Roger Senhouse

2/6.

Q 3



Digitized by the Internet Archive
in 2015

FRONTISPIECE.



A. Thornthwaite inv.

Isaac Taylor sculp.

Where Severn, Trent, or Thames's Ozzy side
Pours the smooth Current of their easy Tide,
Each will require a sameness to the Spot,
For this a Cell, a Cascade or a Grot;
The frozen Icicles resembled form,
Or Sea-green Weed your Grotto must adorn.

Art of Architecture, a Poem.

Grotesque Architecture,

O R,

RURAL AMUSEMENT;

CONSISTING OF

PLANS, ELEVATIONS, AND SECTIONS,

F O R

HUTS, RETREATS,
SUMMER and WINTER
HERMITAGES,
TERMINARIES,
CHINESE, GOTHIC, and
NATURAL GROTTOS,
CASCADES,

BATHS,
MOSQUES,
MORESQUE PAVIL-
LIONS,
GROTESQUE and RUSTIC
SEATS,
GREEN HOUSES, &c.

Many of which may be executed

With FLINTS, IRREGULAR STONES,
RUDE BRANCHES, and ROOTS of TREES.

The Whole containing Twenty-eight entire new DESIGNS, beau-
tifully engraved on COPPER PLATES, with SCALES to each.

To which is added,

A full EXPLANATION, in LETTER PRESS, and the true Method of
executing them.

BY WILLIAM WRIGHT, ARCHITECT.

L O N D O N :

Printed for HENRY WEBLEY, in HOLBORN, near CHANCERY-LANE.

MDCCCLXVII.

Just published,
(Being a very proper Companion to this Book)

Price 7s. sewed, and 8s. 6d. bound,

THE TEMPLE BUILDER'S
MOST USEFUL COMPANION,

Being Fifty entire new Original Designs of Universal Use,

AND FOR

PLEASURE and RECREATION;

CONSISTING OF

PLANS, ELEVATIONS, and SECTIONS, in the
GREEK, ROMAN, and GOTHIC TASTE:

Calculated for the Ornamenting of

PARKS, FORESTS, WOODS, GARDENS,
CANALS, EMINENCES, EXTENSIVE
VIEWS, MOUNTS, VISTAS, ISLANDS, &c.

Together with a full Explanation, in Letter Press, to each Design,
and exact SCALES for Measurement.

BY THOMAS COLLINS OVERTON.

Grotesque Architecture.

P L A T E I.

PLAN and Elevation of a Hut, to be built with Trunks of Trees and irregular Timber. The inside Walls may be lined with Moss, and covered on the Top with Thatch. It is intended to represent the primitive State of the Dorick Order, and is proper to be placed at the Entrance of a Wood, or on the Top of a small Eminence. The Dimensions are figured on the Plan.

P L A T E II.

Plan and Elevation of an Hermetic Retreat, to be composed of Roots and irregular Branches of Trees, cemented together with a strong binding Clay, and may be thatched or covered with Branches of Trees twined round with Ivy. The Dimensions are figured on the Plan.

P L A T E III.

Elevation of an Hermit's Cell, with Rustic Seats attached, eight Feet square in the Inside, which should be situated in a rising Wood near some running

ning Water, to be built partly of large Stones and Trunks of Trees, set round with Ivy and lined with Rushes, &c. The Roof should be covered with Thatch, and the Floor paved with small Pebble Stones or Cockle Shells. The Seats attached are intended to be composed of large irregular Stones, Roots of Trees, &c.

P L A T E IV.

Plan and Elevation for an Hermitage in the Eastern Stile, supposed to be built round a Tree which supports its Roof; over the Door is a Tablet with an Arabick Inscription; the Roof is covered with Thatch in the Chinese Taste; the Inside to be lined with Billet Wood and Moss. It is lighted from the Lanterns above. A. should be a Couch. B. C. are Seats of Retirement. The Dimensions are figured in the Plan. The Rustic Seats on the Side are intended to be composed of large rough Stones and Roots of Pollard Trees cemented together.

P L A T E V.

Plan and Elevation of a Winter Hermitage, intended as a Retirement from Hunting, Fowling, or any other Winter Amusement; the Walls to be built of Flints or rough Stones, and lined with Wool or other warm Substance intermixed with Moss, and should be situated on a rising Ground planted with Evergreens.

P L A T E VI.

Plan and Elevation of a Summer Hermitage, designed to be in a Wilderness or thick Wood; the Walls to be composed of large Stones, and the Ends faced with Flints; the Roof covered with Thatch, and an Owl carved on the Top; the Floor should be paved with Sheeps Marrow-bones placed upright, or any other pretty Device intermixed with them. A. is for a Couch, B. C. are Seats of Retirement.

P L A T E VII.

Plan and Elevation of an Hermitage in the Augustine Stile; the Front is ornamented with a Portico of Palm Trees; in the Pediment is a Scull, and a Tablet with an Inscription. A. A. are Passages of Evergreens leading to the two circular Retreats, one of which is intended as a Library, and the other a Bath; the Tops of them are intended to be thatched; bbb. are Niches for Seats cut in the Evergreens. This Design is calculated to be built on a small verdant Amphitheatre near a murmuring Stream, and as a proper Retreat from the Fatigues of a sultry Day.

P L A T E VIII.

A Plan, Half an Elevation, and Half a Section, of a rural circular Hermitage, designed for an open Situation near some Rivulet, planted with Weeping Willows, &c. The Inside is lighted by a Gazebo, supported by eight Trunks of Trees twined about with Ivy. The Dimensions are figured on the Plan.

P L A T E IX.

Plan, Elevation, and Section of a Grotto in a modern Architectonic Stile, ornamented with Jet d'eau, Sea Weeds, Looking-glasses, Fountains, and other Grotesque Decorations. The Dimensions may be known by the Scale and the Figures on the Plan.

P L A T E X.

Plan and Elevation of a Gothic Grotto with four Closets five Feet square; the Outside to be composed of Flints and irregular Stones, and studded with small Pebbles; the Inside to be ornamented with Shells, Ores, &c. and if built upon an Eminence it would have a very pleasing Appearance.

P L A T E XI.

Plan and Elevation of an open Chinese Grotto, to be placed at the Head of a grand Canal, with a Bath (A), and a Chinese Temple, (B) attached; the Arcades to be Ice or frosted Work; the Outside of the Bath and Temple to be ornamented with beautiful Shells in the Mosaic Taste; the Inside to be groined over as on the Plan, and ornamented with Shell-work and other beautiful Incrustations. The whole Extent is 75 Feet.

P L A T E XII.

Plans and Measures to Plate xii. and xiv.

P L A T E XIII.

Elevation of a Gothic Grotto, with Cascades and Wings attached (*see the Plan, Plate xii.*). The Entrance is a Saloon of 20 Feet square, the Angles are coup'd off with Niches, where Grotesque Statues or Vases should be placed. It is intended to have a Fountain in the Centre, with Antique Figures spouting out Water; the Walls should be lined with Flints, decorated with Ice-work; the Whole is lighted from the Gazebo on the Top. A. B. are the Plans of the two Wings or Repositories, which are each descended to by a Flight of four Steps. A is intended to be ornamented with curious Shells, Gems, Coral, &c. with Statues in the Niches. B. is to be groined over in the Gothic Manner, with a Pier in the Centre, to be lined with Flints, intermixed with Shells, Looking-glasses, &c. The Groins should be incrust'd with frosted Work in the Manner of dropping Icicles. Both these Wings are lighted from the Rose Arches, as appears in the Elevation; the Outside to be composed of rough Stones incrust'd and studded with Pebbles, Shells, &c. There are placed in the Recesses Gothic Figures. The Situation should be in some retired Copse, shaded by an adjacent Hill, near some murmuring Rivulet, where the Cascades, or rather Fountains, as in the Design, may be easily affected. The Measures are marked on the Plan.

P L A T E XIV.

Elevation of a Rural Grotto (*see the Plan, Plate xii.*) which should be built of large rough Stones rudely put together, so that the Building may as near as possible imitate the beautiful Appearance of Nature. If the Dome was to be richly ornamented with pendentive Shell and frosted Work, it would look very elegant. In the Middle Niche is Neptune on a Rock pouring out Water, which descends under the Pavement through an Arch, and forms a running Stream. The Side Niches are ornamented with Satyrs and other Grotesque Figures. The Situation should be in a Morass, near some Water.

P L A T E XV.

A Design for a Cascade or Cataract of a great Fall of Water, decorated with Rock-work, Sea Lions pouring out Fountains of Water, and a Triton, by way of Embellishment, in the Centre.

P L A T E XVI.

A Design for a Triumphal Cascade of Four Falls of Water. If Care is taken to erect this Arch with rude and irregular Flints, &c. at the same time paying a due Observance to Nature, it will have a very magnificent Appearance, and look extremely elegant, and would be a superb Ornament in a Nobleman's Park where there is a great Supply of Water.

P L A T E XVII.

A Grotto, Canal, and Cascade, decorated with Rock-work, Tritons, Sibyls, &c. pouring forth Fountains of Water. The Author hopes he may be indulged with observing that he hath with great Pleasure seen a fine Piece of Water in the Park of the Earl of *Essex*, at *Cashibury*, near *Watford*, *Herts*, and flatters himself that if the Arch in this Design, on which the Triton is placed, was to be executed there in the Nature of a Bridge, it would have a very magnificent and pleasing Appearance.

P L A T E XVIII.

A Romantic Bridge, or a Cascade of Three Sheets of Water, descending through Arches of artificial Rock-work, incrusted with Shells, Corals, Ores, Sea Weed, Moss, &c. and Two Sea Gods lying on their ouzey Couch pouring out Water.

P L A T E XIX.

Plan and Elevation of a Rustic Seat for a Garden or Park, intended to terminate a View. It would look very pretty if it was built with Flints, or irregular rude Branches and Roots of Trees.

P L A T E XX.

Plan and Elevation for a Grotesque or Rural Bath, very proper to be built in Gardens, &c. for the Benefit of Bathing. It is intended to have Three Seats within by way of Closets, for the Conveniency of dressing and undressing. If the Water in the Plan be left out, it will look very pleasing as a Rural Hut.

P L A T E XXI.

Plan and Elevation of a Rural Mosque with Minarets. It is divided into an Octagon Saloon, supported by Eight Columns, lighted from the Dome. The other Apartments are Four regular small Rooms or Closets, which will serve for various Purposes. The Minarets are placed in the Plan by way of Ornament, to shew the true Taste of the Turkish Buildings; and the Singularity of the Stile of Architecture is such that will render it a very pleasing Ornament, if executed in a Pleasure Ground, or upon an elevated verdant Amphitheatre. It may be built of Wood, and stucco'd; the Inside should be painted with various rich Colours, which would have a pleasing and elegant Appearance. The Dome is supported by irregular Branches of Trees well connected and cramped together. The Minarets should be solid, and the Pedestals, (A. B.) should be decorated with Arabic Inscriptions. For a more intelligible and historical Account of these Buildings, I must refer the Reader

Reader to Dr. *Shaw's* Account of *Barbary*, *Le Brun* and *Tournefort's* Voyages to the *Levant*, &c.

P L A T E XXII.

Plan and Elevation of a Circular Mosque, Twenty Feet Diameter, with Four Cabinets attached, Eight Feet square; Two of which may serve for Entrances, having each a small Fountain, Five Feet Diameter; the other Two may be for the Purposes of Study or Use. The Four Minarets at the Angles bring the Plan upon a Square of Forty Feet. The Cabinets as well as the Mosque are crowned with Domes, which should be gilt on the Outside. The great Dome is supported by Eight Columns, over which are groined Arches; an Iron Balustrade runs round the Outside, which may be painted Blue and gilt; on the Top of the great Dome is a light Cupola supported by Eight small Columns, from whence hangs a Chandelier to light the Inside when required. The other Decorations may be seen in the Section, Plate xxiv.

P L A T E XXIII.

Plan and Elevation for another Mosque, with Two Minarets attached to the Body of the Building, which may be executed in Brick of 14 Inches Thickness. The Front is a Portico of Four Columns in the Oriental Stile, in the Centre of which is a Fountain for Sabateons; which may be seen in the Section, Plate xxiv. The Niches in the Front

B 2

should

should have Arabic Inscriptions in Gold Letters. The Portico is covered with Three little Domes, in the Turkish Manner, ornamented with Crescents, &c. The Inside is lighted from the circular Windows and little Arches above, which support the Dome. For the interior Decorations see the Section, Plate xxiv. It would look very beautiful if built on an open Lawn, planted round with a few Cypress or other exotic Trees. The Dimensions are figured on the Plan.

P L A T E XXIV.

Sections and Scales to Plates xxii. and xxiii.

P L A T E XXV.

Two Plans of Moresque Temples to Plates xxvi. and xxvii. with their proper Measures.

P L A T E XXVI.

Elevation of a beautiful Moresque Temple (*see the Plan, Plate xxv.*). The coupled Columns support an Arcade of intersecting Semi-ellipses, which goes quite round the Temple. In the Spandrells are Moors Heads, with Crescents, Roses, and Stars, over which is a Parapet Balustrade of Net or Lattice-work. The Body of the Temple is Twenty Feet Diameter, crowned with an open Lantern, from whence it is lighted; the Outside of which is adorned

adorned with Stars of Glas on an Azure Ground. On the Top is a Pine, which should be double gilt; and if the Outside was covered with a glossy Substance, it would have a very pleasing and magnificent Appearance. The Stile of Architecture is a Medium between the Chinese and Gothic, having neither the Levity of the former nor the Gravity of the latter. The Particularities of both this and the following Design are taken from those famous Remains of Barbarian Antiquity the Palace of *L'Lhambra*, at *Granada*, the antient Moresque Mosque at *Cordova*, the old Cassavee or Palace of the *Moorish* Kings at *Mæquanex*; for the Accounts of which the Reader is referred to *Willughby's Travels into Spain*, *Ockley's Account of South or West Barbary*, and *Shaw's Travels to the Levant*.

P L A T E XXVII.

Elevation of a Moresque Pavilion (*see the Plan, Plate xxv.*) in the Stile of the antient *Moors*, raised on Three Steps. Over the Arches are *Moors* Heads and Festoons. In the Middle is a Circular or Geometrical Stair-case, leading to the Top, or Balustrade. It is crowned with a square Cupola, mounted with a Moresque Standard, and is very proper to be built on an Eminence to command an extensive View.

P L A T E XXVIII.

Plan and Elevation for a Green-house, of the Grotesque Kind, faced with Flints and irregular Stones. The Dimensions may be found by the Scale.

F I N I S.

To the NOBILITY and GENTRY, and to every Individual concerned in Building; but particularly to all Architects, Surveyors, Carpenters, Joiners, Bricklayers, Masons, Plasterers, Stucco-workers, Papier Machée-makers, Ornament-Modellers, Cabinet and Chair-makers, Upholsterers, Coach-makers, Painters, Plumbers, Stove-grate-makers, Smiths, &c.

This Day were PUBLISHED,

The following very useful Books, printed for and sold by HENRY WEBLEY, at his Original Shop for Books of ARCHITECTURE, PERSPECTIVE, &c. in *Holborn*, near *Chancery-Lane*; and are also sold by the principal Booksellers at all the chief Cities and noted Towns in *England*, *Scotland*, and *Ireland*.

Large Allowance made to those who export them abroad.

CRUNDEN's Forty-eight Designs of grand Corners for stucco'd Ceilings, and Nineteen beautiful Designs for rich Centres, in the ornamental and Gothic Taste; in which are introduced, *Fame* sounding her Trumpet, *Cupid* with his Bow and Arrow, Trophies of Music, Boys dancing, Birds, Squirrels, a complete sporting Ceiling, with the Greyhounds and Hare, the Death of the Fox, Hunting the Stag, the Setting-dog and Partridge, with two Men drawing the Net, and *Diana*, the Goddess of Hunting, in the Centre; the Fables of the Fox, Stork, Crow, Grapes, and the Goose, neatly engraved on 12 Copper-plates, Price 1l. 1s. sewed in Marble Paper.—The above Designs are particularly calculated for Plasterers, Stucco-workers, Ornament-Modellers, Papier Machée-makers, &c. and the Author hath had the Pleasure to see most of them executed in many of the present new Buildings.

GARRETT's Designs and Estimates for Farm-houses, for the Counties of *York*, *Northumberland*, *Cumberland*, *Westmoreland*, and the Bishoprick of *Durham*, folio, sewed, 5s.—The Designs in the above Book are universally esteemed the best for Conveniency, Cheapness, &c. that ever were published.

The NOBLEMAN and Gentleman's Director and Assistant in the true Choice of their Wheel Carriages; containing 37 new Designs for all Sorts of Coaches, Landaus, Chariots, Post-Chaises, Phaetons, Italian Chairs, &c. 14s. sewed, and very beautifully coloured, 1l. 5s.

ABBOTT's Grand, Magnificent, and Superb Designs for Coaches and Chariots; the Pannels are finely enriched with Landscapes, genteel Sweeps, Festoons, Ornaments for the Arms, Supporters, Crests, Coronets, Cyphers, &c. 10s. 6d. sewed, and beautifully coloured 19s.—The above two Books are the only ones of the kind that ever were published.

and are calculated to furnish the Nobility and Gentry with the Choice of all Sorts of Carriages; they are also of particular Use to Coach-makers, Carvers, &c. as most of the Carriages that are now executed are made entirely from these Designs.

The TEMPLE BUILDER's most useful Companion, being 50 entire new original Designs for Pleasure and Recreation; consisting of Plans, Elevations, and Sections, in the Greek, Roman, and Gothic Taste; calculated for the ornamenting of Parks, Forests, Woods, Gardens, Canals, Eminences, extensive Views, Mounts, Vistas, Islands, &c. Together with a full Explanation, in Letter Press, to each Design, and exact Scales for Measurement. By *Thomas Collins Overton*, octavo, 7 s. sewed, 8 s. 6 d. bound.



GROTESQUE ARCHITECTURE, or Rural Amusement; consisting of Plans, Elevations, and Sections, for Huts, Summer and Winter Hermitages, Retreats, Terminaries, Chinese, Gothic, and Natural Grottos, Cascades, Rustic Seats, Baths, Mosques, Moresque Pavilions, Grotesque Seats, Green Houses, &c. many of which may be executed with Flints, Irregular Stones, Rude Branches, and Roots of Trees. The Whole containing 28 entire new Designs, beautifully engraved on Copper-plates, with Scales to each. To which is added, a full Explanation, in Letter Press, and the true Method of executing them. By *William Wrighte*, Architect. Octavo 4 s. 6 d. sewed, and 6 s. bound

The CHIMNEY-PIECE-MAKER's Daily Assistant, or a Treasury of new Designs for Chimney-Pieces, beginning with the most plain and simple, and gradually ascending to the most grand and magnificent, in the Antique, Modern, Ornamental, and Gothic Taste; proper to be executed in Halls, Saloons, Vestibules, Guard-Rooms, State-Rooms, Parlours, Dining Rooms, Drawing-Rooms, Anti-Rooms, Music-Rooms, Cabinets, Bed-Rooms, Dressing-Rooms, &c. together with a Table shewing the just Proportions they bear to the above several and respective Rooms. The Whole neatly engraved on 54 Copper-plates, from the original Drawings of *Thomas Milton*, *John Crunden*, and *Placido Columbani* Architects. Octavo, 8 s. sewed, 9 s. 6 d. bound.



CRUNDEN's Joiner and Cabinet-maker's Darling, containing 60 different new and beautiful Designs for all Sorts of Frets for Friezes, Impost, Architraves, Tabernacle Frames, Tea-stands, Stoves, Fenders, and Fan-lights for over Doors. Octavo, 3 s. sewed.


The MANNER of securing all Sorts of Building from Fire, or a Treatise upon the Construction of Arches made with Bricks and Plaster, called flat Arches; and of a Roof without Timber, called a Brick Roof; with some Letters that passed between the Count of *Espie*, *Peter Wyche*, and *William Beckford*, Esqrs. on this Subject. Octavo, 2 s. sewed.

A Primitive Hut.





Hermetic Retreat.







Hermit's Cell.




Winter

Hermitage.


Pl. 5.






Augustine Hermitage.


Pl. 7.



Library.


Bath.









Rural Hermitage.


Pl. 8.







Gothic Grotto.







Chinese Grotto.





Plan to Plate 13.





Plan to Plate 14.



Gothic Grotto, with Cascades & Wings Attached.

Pl. 13.








*A Cascade
with
Fountains*








Grotto, Canal, & Cascudel.




Romantic Arches, with Cascades.








Rustic Terminate Seat to a View.









Grotesque, or Rural Bath.








*Rural Mosque
with
Minarets.*




Circular Mosque with Cabinets Attached.




*Turkish Mosque with
Minarets Attached.*






Section to Plate 22.




Section to Plate 23.







Plan to Plate 26.



Plan to Plate 27.





Moresque Temple.





Moresque Pavillion.






20 ft.

10

5





SPECIAL

26-B
15574

